

[illegible][illegible]

[illegible]

数量計算書

[illegible]

数量計算書																	
工種	種別	施工	細別	形状寸法										単位	数量		備考
					(6)-1	(6)-2	(6)-3	(6)-4	(6)-5	(6)-6	(6)-7	(6)-8	(6)-9		当初	変更	
土工	掘削工	夜間		BH0. 1									m3	0.0	0.0		
	掘削工	夜間		BH0. 2									m3	0.0	0.0		
	スラッグ（路盤材）運搬工	夜間		D2t, L=5. 6km									m3	0.0	0.0		
	スラッグ（路盤材）運搬工	夜間		D4t, L=5. 6km									m3	0.0	0.0		
	スラッグ（路盤材）処分	-											m3	0.0	0.0		
舗装工	舗装工(1) （車道部：町道）	夜間	（機械） 表層工	再密As(13), t=5cm Tコト, b>3. 0m	77. 7	65. 3	28. 2	113. 5	266. 6	297. 4	370. 7	192. 5	35. 9	m2	1440. 0	0. 0	
	舗装工(2) （車道部：町道）	夜間	（機械） 表層工	再密As(13), t=5cm Pコト, b>3. 0m										m2	0. 0	0. 0	
		夜間	不陸整正 （機械）	RM-30, t=2cm 再細As(13), t=3cm										m2	0. 0	0. 0	
	舗装工(3) （歩道：一般部）	夜間	表層工	Pコト, l. 4m≦b										m2	0. 0	0. 0	
		夜間	不陸整正	RM-30, t=2cm										m2	0. 0	0. 0	
	舗装工(4) （歩道：ILB）	夜間	ILB工	3色直線, t=6cm										m2	0. 0	0. 0	
		夜間	クッション砂	t=3cm										m2	0. 0	0. 0	
		夜間	不陸整正 （人力）	補足材なし										m2	0. 0	0. 0	
	舗装工(5) （実掘：町道）	夜間	表層工 （人力）	再安As(25), t=5cm Tコト, b<1. 4m									m2	0. 0	0. 0		
		夜間	路盤工 （人力）	再安As(25), t=10cm Pコト, b<1. 4m									m2	0. 0	0. 0		
		夜間	不陸整正	補足材なし									m2	0. 0	0. 0		
撤去工	舗装版切削工	夜間		2. 0m級 t≦5cm	77. 7	65. 3	28. 2	113. 5	266. 6	297. 4	370. 7	192. 5	35. 9	m2	1440. 0	0. 0	
	舗装版撤去工	夜間		BH0. 1, 直掘積 t≦5cm										m2	0. 0	0. 0	
	舗装版撤去工	夜間		BH0. 35, 掘削・積込 t≦15cm										m2	0. 0	0. 0	
	As切削殻運搬工	夜間		D10t, L=2. 9km	3. 9	3. 3	1. 4	5. 7	13. 3	14. 9	18. 5	9. 6	1. 8	m3	72. 4	0. 0	
	Asｶﾞﾗ運搬工	夜間		BH0. 1, 直掘積 D2t, L=2. 9km										m3	0. 0	0. 0	
	Asｶﾞﾗ運搬工	夜間		BH0. 35, 掘削・積込 D10t, L=2. 9km									m3	0. 0	0. 0		
	As切削殻処分	夜間			3. 9	3. 3	1. 4	5. 7	13. 3	14. 9	18. 5	9. 6	1. 8	m3	72. 4	0. 0	
	As殻処分	夜間												m3	0. 0	0. 0	
	ILB撤去工	夜間		取壊し										m2	0. 0	0. 0	
	Co殻運搬工	夜間		D10t, L=11. 2km										m3	0. 0	0. 0	
	Co殻処分	夜間												m3	0. 0	0. 0	
雑工	As舗装版切断工	夜間		t≦15cm	4. 7	21. 5								m	26. 2	0. 0	
	区画線工	夜間		溶融式 W150(実線)	99. 1	14. 7	5. 7		8. 6	80. 3	35. 7			m	244. 0	0. 0	
	区画線工	夜間		溶融式 W150(破線)			5. 0	35. 0	35. 0	45. 0				m	120. 0	0. 0	
	区画線工	夜間		溶融式 W150(換算)										m			

工種	種別	施工	細別	形状寸法	(6)-1 (6)-2 (6)-3 (6)-4 (6)-5 (6)-6 (6)-7 (6)-8 (6)-9									単位	数量		備考
					当初	変更											
土工	掘削工	夜間		BH0. 1										m3	0.0	0.0	
	掘削工	夜間		BH0. 2										m3	0.0	0.0	
	ｽﾗｯｸ（路盤材）運搬工	夜間		D2t, L=5. 6km										m3	0.0	0.0	
	ｽﾗｯｸ（路盤材）運搬工	夜間		D4t, L=5. 6km										m3	0.0	0.0	
	ｽﾗｯｸ（路盤材）処分	-												m3	0.0	0.0	
舗装工	舗装工(1) (車道部:町道)	夜間	(機械) 表層工	再密As(13), τ=5cm T>τ, b>3. 0m	77. 7	65. 3	28. 2	113. 5	266. 6	297. 4	370. 7	192. 5	35. 9	m2	1440. 0	0. 0	
	舗装工(2) (車道部:町道)	夜間	(機械) 表層工	再密As(13), τ=5cm P>τ, b>3. 0m										m2	0. 0	0. 0	
		夜間	不陸整正 (機械)	RM-30, τ=2cm 再細As(13), τ=3cm										m2	0. 0	0. 0	
	舗装工(3) (歩道:一般部)	夜間	表層工	P>τ, L. 4m≤b										m2	0. 0	0. 0	
		夜間	不陸整正	RM-30, τ=2cm										m2	0. 0	0. 0	
	舗装工(4) (歩道:ILB)	夜間	ILB工	3色直線, τ=6cm										m2	0. 0	0. 0	
		夜間	ｸｯｼｮﾝ砂	τ=3cm										m2	0. 0	0. 0	
		夜間	不陸整正	補足材なし										m2	0. 0	0. 0	
	舗装工(5) (夾掘:町道)	夜間	(人力) 表層工	再安As(25), τ=5cm T>τ, b<1. 4m										m2	0. 0	0. 0	
		夜間	(人力) 路盤工	再安As(25), τ=10cm P>τ, b<1. 4m										m2	0. 0	0. 0	
		夜間	不陸整正	補足材なし										m2	0. 0	0. 0	
撤去工	舗装版切削工	夜間		2. 0m級 τ≤5cm	77. 7	65. 3	28. 2	113. 5	266. 6	297. 4	370. 7	192. 5	35. 9	m2	1440. 0	0. 0	
	舗装版撤去工	夜間		BH0. 1, 直掘積 τ≤5cm										m2	0. 0	0. 0	
	舗装版撤去工	夜間		BH0. 35, 掘削・積込 τ≤15cm										m2	0. 0	0. 0	
	As切削殻運搬工	夜間		D10t, L=2. 9km	3. 9	3. 3	1. 4	5. 7	13. 3	14. 9	18. 5	9. 6	1. 8	m3	72. 4	0. 0	
	Asｸﾞﾗ運搬工	夜間		BH0. 1, 直掘積 D2t, L=2. 9km										m3	0. 0	0. 0	
	Asｸﾞﾗ運搬工	夜間		BH0. 35, 掘削・積込 D10t, L=2. 9km										m3	0. 0	0. 0	
	As切削殻処分	夜間			3. 9	3. 3	1. 4	5. 7	13. 3	14. 9	18. 5	9. 6	1. 8	m3	72. 4	0. 0	
	As殻処分	夜間												m3	0. 0	0. 0	
	ILB撤去工	夜間		取壊し										m2	0. 0	0. 0	
	Co殻運搬工	夜間		D10t, L=11. 2km										m3	0. 0	0. 0	
	Co殻処分	夜間												m3	0. 0	0. 0	
雑工	As舗装版切断工	夜間		τ≤15cm	4. 7	21. 5								m	26. 2	0. 0	
	区画線工	夜間		溶融式 W150(実線)	99. 1	14. 7	5. 7			8. 6	80. 3	35. 7		m	244. 0	0. 0	
	区画線工	夜間		溶融式 W150(破線)				5. 0	35. 0	35. 0	45. 0			m	120. 0	0. 0	
	区画線工	夜間		溶融式 W150(換算)										m	0. 0	0. 0	
	区画線工	夜間		溶融式 W300(実線)						3. 2		6. 1	15. 3	m	24. 6	0. 0	
	区画線工	夜間		溶融式 W450(実線)								9. 0	14. 8	m	23. 8	0. 0	
	区画線工	夜間		溶融式 W450(セブラ)	21. 0									m	21. 0	0. 0	
	自転車マーク	夜間		H700×W1000								1. 0	1. 0	箇所	2. 0	0. 0	
	カラーライン	夜間												m2	0. 0	0. 0	
	点字シート	夜間		300×300										m3	0. 0	0. 0	
	街渠復旧	夜間											m2	0. 0	0. 0		
	型枠工	夜間											m2	0. 0	0. 0		