

集計表

町営松ヶ丘住宅3号棟解体工事

発生材処理（発生材運搬・発生材処理）		コンクリート	木材	ガラスくず	解体系混合物	アルミ	鉄	石綿板	バスリブ	石膏ボード	
			木くず	陶器くず		スクラップ	スクラップ	アスベスト含有 レベル3	廃プラ		
3号棟 発生材処理											
基礎束石コンクリート		17.8639	0.0000	0.0000							
土間コンクリート		7.7006									
床束		0.0000	0.0518								
土台			0.8424								
木製下地 根太			1.2506								
柱			0.4800								
半柱			0.6400								
二重床下地			0.2114								
シート防水					0.2832						
CPパネル		23.4024									
床板 t=12			1.2345								
床合板 t=4			0.0901								
畳 t=40					3.2400						
1階壁 下地材			2.0408								
1階壁(化粧)ベニヤ板			1.9028								
1階壁(化粧)大平板								0.1381			
1階壁 モルタル		1.0059									
2階壁 下地材			2.1699								
2階壁(化粧)ベニヤ板			2.1699								
付け鴨居			0.1315								
天井 下地材			0.7700								
天井(化粧)ベニヤ板			0.4995								
天井 バスリブ									0.4118		
天井(化粧石膏ボード)										0.4779	
アルミサッシ						50.2200					
ガラス				0.2030							
木製ドア			2.7418								
敷居			0.1661								
鴨居			0.1453								
縦枠			0.7712								
下屋 基礎コンクリート		0.4900									
下屋 鉄骨							930.7600				
塩ビ 波板					1.0260						
単 位		m³	m³	m³	m³	kg	kg	m³	m³	m³	
合 計		50.4628	18.3096	0.2030	4.5492	50.2200	930.7600	0.1381	0.4118	0.4779	
採 用 数 量		50.5	18.3	0.2	4.5	50.2	931	0.14	0.41	0.48	

集計表

町営松ヶ丘住宅3号棟解体工事

発生材処理（発生材運搬・発生材処理）											
		コンクリート	木材 木くず	ガラスくず 陶器くず	解体系混合物	アルミ スクラップ	鉄 スクラップ	蛍光管			
3号棟　電気設備　発生材処理											
分電盤					0.0375						
照明器具								5			
蛍光管								10			
単　　 位					m ³			箇所			
合 計					0.04			15			
採 用 数 量					0.04			15			

集計表

町営松ヶ丘住宅3号棟解体工事

[illegible]

集計表

町営松ヶ丘住宅3号棟解体工事

発生材処理（発生材運搬・発生材処理）		コンクリート	木材	ガラスくず	解体系混合物	アルミ	鉄				
			木くず	陶器くず		スクラップ	スクラップ				
外構 機械設備 発生材処理											
雨水配管					0.172						
通気管					0.075						
単 位											
合 計					0.247						
採 用 数 量					0.250						

集計表

町営松ヶ丘住宅3号棟解体工事

発生材処理（発生材運搬・発生材処理）		コンクリート	木材	ガラスくず	解体系混合物	アルミ	鉄	蛍光管	石綿板	バスリブ	石膏ボード
			木くず	陶器くず		スクラップ	スクラップ			廃プラ	
3号棟 合計											
とりこわし		50.46	18.31	0.20	4.55	50.22	930.76		0.14	0.41	0.48
電気設備								15.00			
機械設備											
合計		50.46	18.31	0.20	4.55	50.22	930.76	15.00	0.14	0.41	0.48
発生材処理 総合計		m ³	m ³	m ³	m ³	kg	kg	kg	m ³	m ³	m ³
P1		50.46	18.31	0.20	4.55	50.22	930.76		0.14	0.41	0.48
P2					0.04			15			
P3				0.82	4.68						
P4				0.25							
単 位		m ³	m ³	m ³	m ³	kg	kg	箇所	m ³	m ³	m ³
合 計		50.46	18.31	1.02	9.51	50.22	930.76	15	0.14	0.41	0.48
採 用 数 量											

数量調書(解体・仮設)

町宮松ヶ丘住宅3号棟解体工事

名 称	単位	場 所	計 算 式					基礎	間仕切り	束石	土間		上屋解体		
			L	D	H	か所	戸	コンクリート	基礎	ブロック	コンクリート				
3号棟 建物とりこわし															
基礎コンクリート															
X1～X6通り	m³	底板	6.04	0.60	0.20	6		4.35							
		立ち上がり	6.04	0.16	0.55	6		3.19							
Y2通り	m³	底板	3.80	0.60	0.20	5		2.28							
		立ち上がり	3.80	0.16	0.55	5		1.67							
Y1通り	m³	底板	3.80	0.60	0.20	5		2.28							
		立ち上がり	3.80	0.16	0.55	5		1.67							
間仕切り基礎	m³	X方向	2.85	0.10	0.45	5			0.64						
		Y方向	1.44	0.10	0.45	10			0.65						
束石ブロック	m³		0.19	0.19	0.39	60				0.84					
コンクリートブロック	m³		0.80	0.12	0.60	5				0.29					
土間コンクリート															
玄関部	m³		0.95	1.45	0.08	5					0.55				
浴室部	m³		1.45	1.90	0.08	5					1.10				
ポーチ	m³		3.8	0.90	0.08	5					1.37				
便槽	m³	上・下	1.45	1.50	0.10	2	5				2.18				
	m³	横	0.85	1.50	0.10	2	5				1.28				
	m³	縦	0.85	1.45	0.10	2	5				1.23				
上屋解体															
建築面積	m²		3.80	6.04		5							114.76		
延べ床面積	m²					2							229.52		

数量調書(解体・仮設)

町営松ヶ丘住宅3号棟解体工事

名 称	単位	場 所	計 算 式					ネットフェンス	下屋	塩ビ製波板	ネットフェンス	アスファルト	ネットフェンス	ネットフェンス	ネットフェンス
			L	D	H	か所		撤去	撤去	撤去	基礎	舗装撤去	支柱	横バー	ネット
ネットフェンス 撤去															
3号棟	m		8.00			6		48.00							
			3.80			5		19.00							
下屋 撤去															
3号棟	m ²		3.80	2.70		5			51.30						
塩ビ製波板 撤去															
3号棟	m ²		3.80	2.70		5				51.30					
アスファルト舗装 撤去															
駐車場 西側	m ²		16.00	2.00		1						32.00			
ネットフェンス															
支柱	m ³		0.056	0.07	0.9	35	0.005						0.02		
横バー	m ³		67.0	0.04	0.04	2	0.005							0.05	
ネット	m ³		17.0	0.3	0.3	3.14	0.9								4.32
			本	67m/4m=16.7本											
基礎	m ³		0.18	0.18	0.45	35					0.51				
								m	m ²	m	m ³	m ²	m ³	m ³	m ³
合 計								67.00	51.30	51.30	0.51	32.00	0.02	0.05	4.32

数量調書(解体・仮設) 町営松ヶ丘住宅3号棟解体工事

町宮松ヶ丘住宅3号棟解体工事

[illegible]

数量調書(解体・仮設) 町営松ヶ丘住宅3号棟解体工事

数量調書(解体・仮設) 町営松ヶ丘住宅3号棟解体工事

数量調書(解体・仮設) 町営松ヶ丘住宅3号棟解体工事

数量調書(解体・仮設) 町営松ヶ丘住宅3号棟解体工事

町宮松ヶ丘住宅3号棟解体工事

[illegible]

集計表(設備)

町宮松ヶ丘住宅3号棟解体工事

[illegible]

集計表(設備)

町営松ヶ丘住宅3号棟解体工事

[illegible]

集計表(設備)

町営松ヶ丘住宅3号棟解体工事

[illegible]

集計表(設備)

町営松ヶ丘住宅3号棟解体工事

[illegible]

数量調書(3号棟処分)

町営松ヶ丘住宅3号棟解体工事

名 称	単位	場 所	計 算 式					床束	土台	木製下地枳	木製下地根太	柱	半柱	二重床下地	
			L	D	H	か所		1住戸							
3棟 木製 床組															
床束		1住戸当り	0.12	0.12	0.06	12		0.0104							
土台		縦	6.04	0.08	0.08	1			0.0387						
			4.59	0.08	0.08	1			0.0294						
			1.45	0.08	0.08	1			0.0092						
		横	0.95	0.08	0.08	1			0.0061						
			2.85	0.08	0.08	2			0.0365						
			3.80	0.08	0.08	2			0.0486						
1階 木製下地根太		縦	4.60	0.03	0.04	9					0.0496				
			3.70	0.03	0.04	8					0.0355				
		横	0.95	0.03	0.04	18					0.0205				
2階 木製下地根太		縦	6.04	0.03	0.04	10					0.0725				
			0.90	0.03	0.04	5					0.0054				
			2.79	0.03	0.04	9					0.0301				
			3.8	0.03	0.04	8					0.0365				
1階 柱			2.50	0.08	0.08	4						0.064			
2階 柱			2.50	0.08	0.08	2						0.032			
1階 半柱			2.50	0.08	0.04	9							0.072		
2階 半柱			2.50	0.08	0.04	7							0.056		
二重床下地			1.89	1.00	0.012	1								0.023	
			3.80	0.43	0.012	1								0.020	
合 計	m³	1住戸当り					1戸	0.0104	0.1685	0.0000	0.2501	0.0960	0.1280	0.0423	
	m³	1棟当たり					5戸	0.0518	0.8424	0.0000	1.2506	0.4800	0.6400	0.2114	

数量調書(3号棟処分)

町営松ヶ丘住宅3号棟解体工事

名 称	単位	場 所	計 算 式					シート防水	PCパネル						
			L	D	t	か所									
3号棟 屋根															
シート防水		屋根	19.00	6.04	0.002	1		0.230							
		庇	19.00	0.60	0.002	2		0.046							
		立上り	19.00	0.10	0.002	2		0.008							
			0.60	0.10	0.002	4		0.0005							
CPパネル		屋根	19.00	6.04	0.04	1			4.590						
		庇	19.00	0.60	0.04	2			0.912						
3号棟 壁パネル															
CPパネル		2階 Y1	3.80	2.48	0.04	5			1.885						
		AW-2	1.75	1.25	0.04	-5			-0.438						
		2階 Y2	3.80	2.48	0.04	5			1.885						
		AW-2	1.75	1.25	0.04	-5			-0.438						
		2階 X通り	5.14	2.48	0.04	6			3.059						
		2階 床	22.80	5.14	0.04	1			4.688						
		2階 庇	22.80	0.60	0.04	2			1.094						
		1階 Y1	3.80	2.50	0.04	5			1.900						
		AW-1	1.80	2.30	0.04	-5			-0.828						
		1階 Y2	3.80	2.50	0.04	5			1.900						
		WD-1	0.80	2.10	0.04	-5			-0.336						
		WW-1	0.40	0.40	0.04	-15			-0.096						
		1階 X通り	6.04	2.50	0.04	6			3.624						

数量調書(3号棟処分)

町営松ヶ丘住宅3号棟解体工事

名 称	単位	場 所	計 算 式					床 t=12mm	床 t=4mm	床 畳	壁	壁 (化粧)	壁 (化粧)		
			L	D	t	か所		床板	合板		下地材	ベニヤ板	大平板		
3号棟 内部仕上															
床 t=12mm床板		ホール	3.80	0.90	0.012			0.041							
			0.80	0.90	0.012			0.009							
		便所	1.45	0.850	0.012			0.015							
		台所	3.80	2.795	0.012			0.127							
		階段	3.00	0.90	0.012			0.032							
		和室	3.80	0.495	0.012			0.023							
床 t=4mm合板		物入1	1.90	0.90	0.004				0.007						
		物入2	1.00	0.90	0.004				0.004						
		押入	1.895	1.00	0.004				0.008						
床 t=40mm 畳		和室6帖	1.80	0.90	0.04	6				0.389					
		和室4帖	1.80	0.90	0.04	4				0.259					
1階壁 下地材		m ² 当り	5.50	0.04	0.024		0.0053								
1階壁 (化粧)ベニヤ板		浴室北	1.90	1.00	0.0053	1					0.0100		0.0100		
		WW-1	0.40	0.40	0.0053	-2					-0.0017		-0.0017		
		浴室 東・西	1.445	1.00	0.0053	2					0.0153		0.0153		
		浴室南	1.90	0.40	0.0053	1					0.0040		0.0040		
		玄関 北	0.95	2.40	0.0053	1					0.0120	0.0120			
		玄関 東・西	1.445	2.40	0.0053	2					0.0366	0.0366			
		WD-1	0.90	1.70	0.0053	-1					-0.0081	-0.0081			
		ホール 北	1.90	2.40	0.0053	1					0.0241	0.0241			
		AD-1	1.80	1.80	0.0053	-1					-0.0171	-0.0171			
		ホール東・西	0.90	2.40	0.0053	3					0.0342	0.0342			
		ホール 南	2.85	2.40	0.0053	1					0.0361	0.0361			
		便所 北	0.95	2.30	0.0053	1					0.0115	0.0115			
		WW-1	0.40	0.40	0.0053	-1					-0.0008	-0.0008			
		トイレ東・西	1.445	2.30	0.0053	2					0.0351	0.0351			
		物入 北	1.90	2.30	0.0053	1					0.0231	0.0231			
		物入 東	0.90	2.30	0.0053	2					0.0219	0.0219			
		台所 北	3.80	2.30	0.0053	2					0.0923	0.0923			
		台所 東・西	2.80	2.30	0.0053	2					0.0679	0.0679			
		WD-2	0.90	1.80	0.0053	-1					-0.0086	-0.0086			
		HD-1	1.72	1.80	0.0053	-1					-0.0163	-0.0163			
		台所 南	3.80	2.30	0.0053	1					0.0461	0.0461			
		AW-1	1.80	2.30	0.0053	-1					-0.0219	-0.0219			
		台所下り壁	2.345	0.50	0.0053	2					0.0124	0.0124			
合 計	m ³	1住戸当り					1戸	0.2469	0.0180	0.6480	0.408165	0.3806	0.0276		
	m ³	1棟当たり					5戸	1.2345	0.0901	3.2400	2.04083	1.9028	0.1381		

数量調書(3号棟処分)

町営松ヶ丘住宅3号棟解体工事

名 称	単位	場 所	計 算 式					壁	壁 (化粧)	付け鴨居	天井	天井(化粧)	天井	天井	壁
			L	D	H	か所		下地材	ベニヤ板		下地材	ベニヤ板	バスリブ	化粧PB	モルタル
2階壁 下地材		m ² 当り	5.50	0.040	0.024		0.0053								
2階壁 (化粧)ベニヤ板		和室4帖北	3.80	2.25	0.0053	1		0.04514	0.04514						
		AW-2	1.75	1.25	0.0053	-1		-0.01155	-0.01155						
		東西面	6.04	2.25	0.0053	2		0.14351	0.14351						
		和室4帖南	3.80	2.25	0.0053	2		0.09029	0.09029						
		HD-2	1.72	1.80	0.0053	-1		-0.01635	-0.01635						
		HD-4	0.86	0.88	0.0053	-1		-0.00400	-0.00400						
		和室4帖南	3.80	2.25	0.0053	2		0.09029	0.09029						
		和室6帖北	3.80	2.25	0.0053	2		0.09029	0.09029						
		HD-2	1.72	1.80	0.0053	-1		-0.01635	-0.01635						
		HD-3	1.72	1.20	0.0053	-1		-0.01090	-0.01090						
		和室4帖南	3.80	2.25	0.0053	1		0.04514	0.04514						
		AW-2	1.75	1.25	0.005	-1		-0.01155	-0.01155						
付け鴨居		台所	2.80	0.035	0.02	2				0.0039					
			2.80	0.035	0.02	2				0.0039					
		和室4帖	2.35	0.035	0.02	2				0.0033					
			3.80	0.035	0.02	2				0.0053					
		階段室	0.90	0.035	0.02	1				0.0006					
		和室6帖	3.80	0.035	0.02	2				0.0053					
			2.80	0.035	0.02	2				0.0039					
天井 下地材		m ² 当り	5.50	0.04	0.015		0.0033								
天井 (化粧)ベニヤ板		玄関	0.95	1.45	0.003	1					0.00453	0.00412			
		ホール	3.80	0.90	0.003	1					0.01129	0.01026			
			0.95	0.90	0.003	1					0.00282	0.00257			
		便所	0.95	1.45	0.003	1					0.00453	0.00412			
		浴室	1.90	1.45	0.030	1					0.00906		0.08237		
		物入1	1.90	0.90	0.003	1					0.00564	0.00513			
		台所	3.80	2.80	0.009	1					0.03505			0.0956	
		和室4帖	3.80	2.35	0.003	1					0.02941	0.02673			
		押入	1.00	0.90	0.003	1					0.00297	0.00270			
		階段室	2.80	0.90	0.003	1					0.00832	0.00756			
		物入2	1.80	0.90	0.003	1					0.00535	0.00486			
		和室6帖	3.80	2.80	0.003	1					0.03505	0.03186			
モルタル		浴室 北	1.90	0.03	1.40	1									0.0798
		浴室 東・西	1.45	0.03	1.40	2									0.1214
合 計	m ³	1住戸当り					1戸	0.4340	0.4340	0.0263	0.1540	0.0999	0.0824	0.0956	0.2012
	m ³	1棟当たり					5戸	2.1699	2.1699	0.1315	0.7700	0.4995	0.4118	0.4779	1.0059

数量調書(3号棟処分) 町営松ヶ丘住宅3号棟解体工事

町営松ヶ丘住宅3号棟解体工事

[illegible]

数量調書(3号棟処分)

町営松ヶ丘住宅3号棟解体工事

名 称	単位	場 所	計 算 式					木製 面積	体積	敷居	鴨居	縦杵			
			L	D	H	か所									
WD-1			0.80		2.10	1		1.68							
			0.80	0.04	2.10	1			0.067						
		縦杵	0.08	0.04	2.1	2						0.0134			
WD-2			0.90		1.80	1		1.62							
			0.90	0.04	1.80	1			0.065						
		敷居	1.80	0.08	0.04	1				0.0058					
		鴨居	1.80	0.08	0.035	1					0.0050				
		縦杵	0.08	0.04	1.8	2						0.0115			
WD-3			0.60		1.80	1		1.08							
			0.60	0.04	1.80	1			0.043						
		敷居	0.60	0.08	0.04	1				0.0019					
		鴨居	0.60	0.08	0.035	1					0.0017				
		縦杵	0.08	0.04	1.8	2						0.0115			
HD-1			1.72		1.80	1		3.10							
			1.72	0.04	1.80	1			0.124						
		敷居	1.72	0.08	0.04	1				0.0055					
		鴨居	1.72	0.08	0.035	1					0.0048				
		縦杵	0.08	0.04	1.8	2						0.0115			
HD-2			0.90		1.80	2		3.24							
			0.90	0.04	1.80	2			0.130						
		敷居	1.80	0.08	0.04	2				0.0115					
		鴨居	1.80	0.08	0.035	2					0.0101				
		縦杵	0.08	0.04	1.8	4						0.0230			
HD-3			1.72		1.30	1		2.24							
			1.72	0.04	1.30	1			0.089						
		敷居	1.80	0.08	0.04	1				0.0058					
		鴨居	1.80	0.08	0.035	1					0.0050				
		縦杵	0.08	0.04	1.3	2						0.0083			
HD-4			0.86		0.88	1		0.76							
			0.86	0.04	0.88	1			0.030						
		敷居	0.86	0.08	0.04	1				0.0028					
		鴨居	0.86	0.08	0.035	1					0.0024				
		縦杵	0.08	0.04	1.8	2						0.0115			
AW-1		縦杵	0.08	0.04	2.1	2						0.0134			
		横杵	0.08	0.04	1.8	2						0.0115			
AW-2		縦杵	0.08	0.04	1.25	4						0.0160			
		横杵	0.08	0.04	1.75	4						0.0224			
合 計	m ³	1住戸当り					1戸	13.71	0.548	0.033	0.029	0.1542			
	m ³	1棟当たり					5戸	68.54	2.742	0.166	0.145	0.7712			

数量調書(3号棟処分)

町営松ヶ丘住宅3号棟解体工事

名 称	単位	場 所	計 算 式					基礎 コンクリート	鉄骨 体積	重量	塩ビ 波板				
			L	D	H	か所									
3号棟 下屋															
基礎コンクリート			0.35	0.35	0.20	4		0.098							
鉄骨		前柱	2.10	0.075	0.075	2			0.024						
			2.10			2	5.14			21.59					
		後柱	2.40	0.075	0.075	2			0.027						
			2.40			2	5.14			24.67					
		梁	2.70	0.075	0.075	2			0.030						
			2.70			2	5.14			27.76					
		桁	3.70	0.075	0.075	2			0.042						
			3.70			2	5.14			38.04					
		母屋	3.80	0.075	0.04	6			0.068						
			3.80			6	3.25			74.10					
塩ビ波板			3.80	2.70	0.02						0.205				
合 計	m³	1住戸当り					1戸	0.098	0.191	186.152	0.205				
	m³	1棟当たり					5戸	0.490	0.955	930.760	1.026				